

Company Confidential

Product name: ExPO Extinosad Pour-On
Revision Date: 30 Apr 2019
Pack sizes: 1 L, 5 L, 10 L & 20 L
Prepared by: T Le
Reason: MAT changes

Page: 1 of 5
Type of label: Bottle and leaflet
Country: New Zealand

Text above this line is not included in the actual label.

BOTTLE – Front Panel

**WARNING: KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY**

*AH0493

Elanco™

ExPO EXTINOSAD POUR-ON™

ACTIVE CONSTITUENT: 20 g/L Spinosad

FOR THE CONTROL OF LICE ON ALL BREEDS OF SHEEP

(Logo) Elanco

SIDE PANEL STRIP
LICE POUR-ON FOR SHEEP
1 / 5 / 10 / 20 LITRE



GENERIC PRODUCT NAME:	VERSION:	REVISION DATE	APVMA/ACVM CODE
ExPO Extinosad Pour-On	FINAL	30 April 2019	A010205

Company Confidential

Product name: ExPO Extinosad Pour-On
Revision Date: 30 Apr 2019
Pack sizes: 1 L, 5 L, 10 L & 20 L
Prepared by: T Le
Reason: MAT changes

Page: 2 of 5
Type of label: Bottle and leaflet
Country: New Zealand

Text above this line is not included in the actual label.

BOTTLE – Back Panel – Outer leaf

WARNING

TOXIC, EYE IRRITANT, ECOTOXIC

Read label before use

Spinosad may cause target organ damage through prolonged or repeated exposure

Causes serious eye irritation

Toxic to aquatic life with long lasting effects

Very toxic to terrestrial invertebrates



**PEEL HERE
FOR LABEL DIRECTIONS**

UN3082 Environmentally Hazardous substance, Liquid, N.O.S. (Spinosad)

Action: The active constituent in ExPO EXTINOSAD Pour-On is spinosad. Spinosad is a member of the “Spinosyn” class of insecticides; a new generation insecticide with a unique mode of action on the insect nervous system.

Safety Precautions and Directions

Wash hands and exposed skin thoroughly after handling. Wear eye and face protection. Do not breathe mist or spray.

First Aid

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists, get medical attention or advice. If swallowed, do not induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or contact a doctor if you feel unwell.

Environmental Protection

Avoid contamination of any water supply or release to the environment of the product or empty container.

Disposal

Preferably dispose of product by use. Otherwise dispose of product as part of an approved Agrecovery chemical disposal program. See www.agrecovery.co.nz for details. Triple rinse empty container. Spread rinsate from container onto waste ground or pasture. Recycle empty rinsed container at an approved Agrecovery recycling centre.

Emergency Response



GENERIC PRODUCT NAME:	VERSION:	REVISION DATE	APVMA/ACVM CODE
ExPO Extinosad Pour-On	FINAL	30 April 2019	A010205

Company Confidential

Product name: ExPO Extinosad Pour-On
Revision Date: 30 Apr 2019
Pack sizes: 1 L, 5 L, 10 L & 20 L
Prepared by: T Le
Reason: MAT changes

Page: 3 of 5
Type of label: Bottle and leaflet
Country: New Zealand

Text above this line is not included in the actual label.

In case of spillage wear appropriate protective clothing and prevent material from entering water ways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely. For specialist advice in an emergency call 0800 CHEMCALL (0800 243 622). If additional hazard information is required, refer to the Safety Data Sheet. For a copy please go to www.elanco.co.nz.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIODS

MEAT: When applied to sheep off-shears or with up to 3 months wool: NIL
MEAT: When applied to sheep with at least 6 months wool (Emergency treatment): Sheep producing meat or offal for human consumption must not be sold for slaughter for 7 days following treatment.
WOOL: NIL
MILK: Milk intended for sale for human consumption must be discarded during treatment and for not less than 35 days following the last treatment.

Storage: Store below 30 °C in a dry place in a tightly closed container. Do not freeze. Do not store in direct sunlight.

Registered to:
Elanco Australasia Pty Ltd
27/88 Shortland Street
Auckland, 1010
New Zealand
HELPLINE: Phone 0800 426 633
www.elanco.co.nz

Registered pursuant to the ACVM Act 1997, No A010205
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to the HSNO Act 1996, No HSR100008
See www.epa.govt.nz for approval conditions

For advice on your dipping program, contact your supplier or call the Elanco Helpline: 0800 426 633.
Extinosad™ Pour-On, *Elanco and the diagonal bar are trademarks of Elanco and its affiliates.

Agrecovery logo

Barcode

BATCH NUMBER
EXPIRY



GENERIC PRODUCT NAME:	VERSION:	REVISION DATE	APVMA/ACVM CODE
ExPO Extinosad Pour-On	FINAL	30 April 2019	A010205

Product name: ExPO Extinosad Pour-On
Revision Date: 30 Apr 2019
Pack sizes: 1 L, 5 L, 10 L & 20 L
Prepared by: T Le
Reason: MAT changes

Page: 4 of 5
Type of label: Bottle and leaflet
Country: New Zealand

Text above this line is not included in the actual label.

BOTTLE – Multi-fold leaflet

DIRECTIONS FOR USE:

For the control of lice on all breeds of sheep.

SHAKE CONTAINER GENTLY SEVERAL TIMES BEFORE USE

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

Use any standard T-bar pour-on nozzle, and an applicator with a total adjustable volume ideally no greater than 20 mL.

Do not under dose – check the accuracy of equipment before and during treatment.

Coarse wool breeds:

Apply ExPO Extinosad Pour-On evenly along the backline from the poll to the base of the tail using a suitable applicator with a T-bar nozzle. In sheep weighing less than 35 kg apply as one band and in sheep weighing more than 35 kg, halve the dose volume and apply in 2 bands, approximately 5 cm either side of the midline of the back. This application pattern will improve the spread of the product. ExPO can be used on up to 3 month's wool growth, but for optimum results treatment is recommended off-shears.

Dosage and administration coarse woolled breeds of sheep

Sheep category	Body weight (kg)	Dose (mL)	This pack will treat (number of sheep)
Off-shears (within 24 hours after shearing)	<35	10	100/500/1000/2000
	35–55	15	66/333/666/1333
	55–75	16.5	60/303/606/1212
	>75	Add 1 mL for each 4.5 kg above 75 kg	
Sheep from 24 hours to 3 months after shearing	<35	12.5	80/400/800/1600
	35–55	17.5	57/285/571/1142
	55–75	20	50/250/500/1000
	>75	Add 1 mL for each 4 kg above 75 kg	



A handwritten signature in blue ink, likely of a representative from the Ministry for Primary Industries.

GENERIC PRODUCT NAME:	VERSION:	REVISION DATE	APVMA/ACVM CODE
ExPO Extinosad Pour-On	FINAL	30 April 2019	A010205

Company Confidential

Product name: ExPO Extinosad Pour-On
Revision Date: 30 Apr 2019
Pack sizes: 1 L, 5 L, 10 L & 20 L
Prepared by: T Le
Reason: MAT changes


Page: 5 of 5
Type of label: Bottle and leaflet
Country: New Zealand

Text above this line is not included in the actual label.

Fine wool breeds:

Apply ExPO Extinosad Pour-On evenly along the backline from the poll to the base of the tail using a suitable applicator with a T-bar nozzle. In sheep weighing less than 25 kg apply as one band and in sheep weighing more than 25 kg, halve the dose volume and apply in 2 bands, approximately 5 cm either side of the midline of the back.

Dosage and administration fine woolled breeds of sheep off-shears treatment only

Body weight (kg)	Dose (mL)	This pack will treat (number of sheep)	
20–25	12.5	80/400/800/1600	
26–30	16	62/312/625/1250	
31–35	19	52/263/526/1052	
36–40	22	45/227/454/909	
41–50	25	40/200/400/800	
51–60	30	33/166/333/666	
61–70	35	28/142/285/571	
>70	Add 2.5 mL for each 5 kg above 70 kg		

ExPO Extinosad Pour-On is spread over the body by passive diffusion and physical contact (e.g. rubbing with other sheep). To facilitate product movement, treated sheep should be penned closely and held in the yards immediately after application.

Emergency Treatment Coarse and Fine Woolled Sheep

Apply a 50 mL dose to reduce louse numbers in severely infested long woolled sheep (>6 months after shearing). This dose should be applied as 4 x 12.5 mL bands (two bands on each side of the midline from the poll to the base of the tail).

GENERAL INFORMATION

Optimum lice control requires the application of good agricultural practice. This includes ensuring a complete muster so that no animals remain untreated, attention to stock security following treatment, quarantine treatment of new stock arrivals, thorough and accurate dipping management and utilising the principles of Integrated Pest Management recommended by Wool Pro. DO NOT mix treated sheep with untreated sheep.

It is good agricultural practice not to treat animals when they are wet or if rain is likely. However moderate rainfall following treatment does not adversely affect the effectiveness of the product. Prolonged heavy rain following treatment may reduce efficacy.

ExPO contains a blue dye to identify treated sheep. The dye is scourable from the wool. Do not leave container, hose or applicator in the sun for long periods of time. At the end of use, clean out the applicator, nozzle and hose by pumping through with clean water.

GENERIC PRODUCT NAME:	VERSION:	REVISION DATE	APVMA/ACVM CODE
ExPO Extinosad Pour-On	FINAL	30 April 2019	A010205

Copyright © 2019 Elanco or its Affiliates



A handwritten signature in blue ink, likely of a representative from Elanco or the Ministry for Primary Industries.