



Page: 1 of 5

Infosafe No™ 3NUFF Issue Date : December 2019 ISSUED by NUFARMNZ

Product Name RELAY® SUPER S

1. Identification

GHS Product

RELAY® SUPER S

Identifier

00920 **Product Code** Herbicide **Product Type** Nufarm N7 **Company Name**

Address 6 Manu Street, Otahuhu

Auckland 2024 New Zealand

Telephone/Fax

Tel: 0-9-270 4150

Number

Emergency phone

0800 651 911

number Email

nzinfo@nufarm.com

Recommended use of Selective herbicide for broadleaf weed control in pasture and turf.

the chemical and restrictions on use

2. Hazard Identification

6.1D acute toxicant, 6.3B skin irritant, 6.5B sensitiser, Other Information 6.9A target

organ toxicant, 9.1A aquatic toxicant, 9.2A soil toxicant,

terrestrial vertebrate toxicant.

Harmful - may be harmful if swallowed, inhaled or absorbed through the skin. May cause mild skin irritation. May cause sensitisation from prolonged skin contact. May cause organ damage from repeated oral exposure at high doses.

ECOTOXIC

Very toxic to aquatic organisms with long-lasting effects.

Selective herbicide - very toxic to some plant species.

Harmful to terrestrial vertebrates.

3. Composition/information on ingredients

Chemical Liquid

Characterization

Ingredients CAS Name Proportion

2,4-D (present as the 1928-43-4 680 g/L ethyl hexyl ester) Ingredients determined 0-10 %

to be non-hazardous

4. First-aid measures

For advice contact the National Poisons Centre 0800 POISON (0800 764 $\overline{\mbox{766}}$) or a First Aid Measures

doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth-to-nose rather than mouth-to mouth. Obtain medical

attention.

Remove patient to fresh air. Lay down and keep warm and rested. If breathing Inhalation

is shallow or has stopped ensure airway is clear and apply resuscitation.

Seek medical assistance immediately.

Never give anything by mouth to an unconscious person. If swallowed do NOT Ingestion

induce vomiting. For advice, contact the National Poisons Centre (0800 764

766). Seek medical assistance immediately.

Immediately flush body and clothes with large amounts of water. Remove Skin

contaminated clothing and footwear. Wash affected areas with soap and water.

If a large area is affected seek medical assistance.

Flush eyes with plenty of water for 15 minutes holding eyelids open if Eve contact

necessary. Seek medical assistance. Remove contact lenses, if present and

easy to do.

Facilities storing or utilizing this material should be equipped with an First Aid Facilities

eyewash facility and safety shower.

Treat symptomatically. Advice to Doctor

If vomiting occurs, surfactants present may cause pulmonary pneumonitis.





Page: 2 of 5

Infosafe No™ 3NUFF Issue Date : December 2019 ISSUED by NUFARMNZ

Product Name RELAY® SUPER S

5. Fire-fighting measures

Water fog, foam, carbon dioxide or dry chemical. Suitable

extinguishing media

Hazards from Although material is not flammable, the concentrate is combustible.

May emit toxic fumes of hydrogen chloride or phosgene if involved in fires Combustion

or exposed to extreme heat. **Products**

Special Protective Equipment for fire Full protective clothing and self-contained breathing apparatus.

fighters

Specific Methods Keep up wind. Do not allow washings to reach sewage or effluent systems.

Specific hazards arising from the Toxic fumes under fire conditions are emitted.

chemical

2X **Hazchem Code**

Location Certificate: Not applicable Other Information

Hazardous Atmosphere Zone: Not applicable Number of Fire Extinguishers: Not applicable

6. Accidental release measures

Wear protective clothing. Clear area of unprotected personnel. Contain spill Spills & Disposal

and absorb with sand, soil or absorbent granules. If spill does enter waterways contact the local authority. Collect in an appropriate sealable container for disposal in an approved landfill.

For appropriate personal protective equipment (PPE), refer Section 8. Personal Protection

Environmental **Precautions**

Prevent from entering drains, waterways or sewers.

7. Handling and storage

Precautions for Safe

Handling

Avoid skin and eye contact and inhalation of spray mist. APPROVED HANDLER: This product must be under the control of an approved handler if applied in a wide dispersive manner, or used by a commercial

contractor.

TRACKING: Is not required

RECORD KEEPING: Records of use as described in the NZS 8409 Management of

Agrichemicals must be kept.

Spray drift hazard. Apply this product carefully. Spray drift may BEWARE:

cause serious damage to other desirable plants.

Conditions for safe storage, including any incompatabilities

Keep out of reach of children.

Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, fertilisers and seeds. Storage must be in accordance with NZS 8409 Management of Agrichemicals.

Stores containing 100L of RELAY SUPER S require secondary containment and are subject to signage, and more than 100L require emergency response plans. Always read the label and any attached leaflet before use.

Other Information

Aggregate Storage Volume Thresholds:

When stored with substances of the same hazard classification the aggregate quantity must be considered. For full details refer to the current NZS8409

Management of Agrichemicals and the HSNO Regulations.

8. Exposure controls/personal protection

No exposure standard has been established for this product. Occupational

WES TWA for $2,4-D = 10mg/m^3$ exposure limit values

Appropriate engineering controls

Handle in well ventilated areas, generally natural ventilation is adequate.

Personal Protective Equipment

When opening the container, preparing spray and using the prepared spray wear waterproof gloves, cotton overalls buttoned to the neck safety goggles, and boots.

and wrist, Do not eat, drink or smoke while using. **Hygiene Measures**

Remove protective clothing and wash hands and face thoroughly before meals Wash protective clothing daily after work.

9. Physical and chemical properties





Page: 3 of 5

Product Name RELAY® SUPER S

Form Liquid

Appearance Clear brown liquid

Odour Typical phenoxy odour

Melting Point −5 ° C

Boiling Point >200°C (2,4-D 2EHE)

Solubility in Water Disperses. (2,4-D, 2 ethylhexyl ester has low water solubility (0.001g/100g @

20°C)

Specific Gravity 1.14g/mL @ 20°C

pH 2.0 - 6.5

Vapour Pressure 0.48 mPa @ 25°C (2,4-D 2-ethylhexyl ester)

Partition Coefficient: Kow Log P is 5.78 (2,4-D 2EHE)

n-octanol/water

Flash Point >100°C (pmcc)
Flammability Combustible

Other Information (EC) Emulsifiable concentrate

10. Stability and reactivity

Chemical Stability Stable under normal conditions of handling and storage.

Incompatible Acids, alkalis and oxidising materials.

Materials

Hazardous Thermal decomposition products include: hydrogen chloride.

Decomposition Products

Possibility of Keep away from strong oxidising agents, may react violently.

hazardous reactions

Hazardous Not known to occur.

Polymerization

11. Toxicological Information

Acute Toxicity - Oral LD50 (female rat): 1,045mg/kg for a similar formulation.

Acute Toxicity -

Dermal LD50(rat): >5,000mg/kg for a similar formulation.

Dermal

Ingestion Ingestion of the concentrate in relatively large amounts can result in

headache, nausea, lethargy, motor weakness and incoordination.

Inhalation Mists may cause headaches and drowsiness.

Skin Prolonged and repeated exposure may cause irritation, even burns. A single

prolonged exposure is not likely to result in the material being absorbed

through the skin in harmful amounts.

Eye May cause slight transient irritation. Corneal injury is unlikely.

Skin Sensitisation Contact sensitiser.

between 2,4-D exposure and cancer. Epidemiology studies have been both

positive and negative with the majority being negative.

Reproductive Toxicity Exposure levels having no effect on the mother should have no effect on the

foetus.

Excessive dietary levels of 2,4-D caused toxic effects (weight and viability

reduction) in rats in a reproduction test.

Chronic Effects Excessive exposure may cause liver, kidney, gastrointestinal and muscular

effects. Signs and symptoms of excessive exposure may be nausea and/or

vomiting and abdominal cramps and/or diarrhoea.

Mutagenicity Results of mutagenicity tests have been inconclusive. Has been shown to be

negative in some in vitro ('test-tube') mutagenicity tests and positive in

others.

12. Ecological information





Page: 4 of 5

Infosafe No™ 3NUFF Issue Date : December 2019 ISSUED by NUFARMNZ

Product Name RELAY® SUPER S

Ecotoxicity Soil: EC25 Lycopersicon esculentum (tomato) = 0.00156mg/kg dry wt soil (for

2,4-D EHE)

Persistence and

2,4-D EHE has a low water solubility, quickly degraded to the acid form, low

persistence in natural systems is expected. degradability

2,4-D EHE is rapidly hydrolysed in soil and water to the parent acid DT50 <1d **Environmental Fate**

Bioaccumulative

Potential

log KOW = 5.78 (2,4-D EHE)Yes.

Acute Toxicity -

EC50(48h) = 5.2mg/L (2,4-D EHE)

Daphnia Acute Toxicity -

EC50 = 0.23 mg/L skeletonema costatum (2,4-D EHE)

Algae

Acute Toxicity -

Oral toxicity: >100µg/bee (2.4-D EHE)

Oral LD50 mallard ducks = 663mg/kg (2,4-D EHE) Other Organisms

13. Disposal considerations

Dispose of product only by using according to the label, or at an approved **Product Disposal**

landfill.

Container Disposal Triple rinse empty container and add rinsate to spray tank. Recycle empty

container. Otherwise crush and bury in a suitable landfill.

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. - (2,4-D, 68%)

14. Transport information

It is good practice not to transport agricultural chemical products with **Transport**

food, food related materials and animal feedstuffs. Information

U.N. Number

UN proper shipping

name

Transport hazard

class(es)

Hazchem Code 2.X **Packaging Method Packing Group** III

EPG Number 47

IERG Number IMO Marine

Pollutant

Environmentally Hazardous Substance mark required.

Do not carry this product on a passenger service vehicle. Other Information

> Segregation: Check the latest Land Transport Rule Dangerous Goods Rule 45001 for additional information. Sea transport may require additional segregation.

Refer NZS5433 sea segregation for details.

15. Regulatory information

Registered pursuant to the ACVM Act 1997, No. P7630 National and or See www.foodsafety.govt.nz for registration conditions International

Approved pursuant to the HSNO Act 1996, Approval Code HSR000962 Regulatory

See www.epa.govt.nz for approval controls. Information

Packaging & Labelling

HARMFUL * ECOTOXIC - keep out of reach of children

Hazard Rating

NFPA/HMIS: 2-1-1

Systems

16. Other Information

Date of preparation December 2014

or last revision of

SDS

5 Yearly review carried out. Revisions

Highlighted

Other Information Supersedes SDS issued December 2014





Page: 5 of 5

Infosafe No™ 3NUFF Issue Date : December 2019 ISSUED by NUFARMNZ

Product Name RELAY® SUPER S

...End Of MSDS...

© Copyright ACOHS Pty Ltd

© Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.