

Page: 1 of 5

Infosafe No™ 3NUR8

Issue Date : July 2019

ISSUED by NUFARM

Product Name LION® 490 DST

1. Identification			
GHS Product	LION® 490 DST		
Identifier Product Code	01684		
Product Type	Herbicide		
Company Name	Nufarm NZ		
Address	6 Manu Street, Otahuhu		
Telephone/Fax Number	Auckland 2024 New Zeala Tel: 0-9-270 4150	and	
Emergency phone	0800 651 911		
Email	info@nz.nufarm.com		
Recommended use of the chemical and restrictions on use	A foliar herbicide for the broadleaf weeds.	the control of	most annual and perennial grasses and
Other Information	concentrated product. The property to the prop	The physical p ties of the pr	r knowledge, the properties of the properties and some of the assessments do roduct once it has been diluted for the diluted product are likely to be
2. Hazard Identifi	cation		
Other Information	aquatic toxicant, TOXICITY Harmful - may be harm: May cause mild skin irr: CORROSIVE	ful if swallow itation. is corrosive nisms with lon	
3. Composition/int	formation on ingredients		-
Chemical Characterization	Liquid		
Ingredients	Name	CAS	Proportion
	Glyphosate (present as the potassium and ammonium salts)	70901-12-1 & 114370-14-8	490 g/L
		61791-26-2	10 - 30%
	Water		Balance
4. First-aid measu	res		
First Aid Measures	doctor immediately. Bee	gin artificial	ns Centre 0800 POISON (0800 764 766) or a respiration if the victim is not than mouth-to mouth. Obtain medical
Inhalation	Remove patient to fresh	ed ensure airw	n and keep warm and rested. If breathing ay is clear and apply resuscitation.
Ingestion	Never give anything by m	mouth to an un dvice, contact	conscious person. If swallowed do NOT the National Poisons Centre (0800 764 ately.
Skin	Immediately flush body a	and clothes wi nd footwear.	th large amounts of water. Remove Wash affected areas with soap and water.
Eye contact	Flush eyes with plenty of	of water for 1	5 minutes holding eyelids open if Remove contact lenses, if present and



Page: 2 of 5

Infosafe No™ 3NUR8

Issue Date : July 2019

ISSUED by NUFARM

Product Name LION® 490 DST

First Aid Facilities	easy to do. Facilities storing or utilizing this material should be equipped with an	
Advice to Doctor	eyewash facility and safety shower. Treat symptomatically.	
5. Fire-fighting me	easures	
Suitable extinguishing media	If involved in a fire, the product will not burn. Choose extinguishing media to suit the burning material. Water, foam, carbon dioxide or dry chemical.	
Hazards from Combustion Products	This product, or spray solutions of this product, react with galvanised steel or unlined steel (except stainless steel) containers and tanks, to produce hydrogen gas which may form a highly flammable or explosive gas mixture. If involved in a major fire, could evolve oxides of nitrogen or phosphorus.	
Special Protective Equipment for fire fighters	Full protective clothing and self-contained breathing apparatus.	
Specific Methods	Keep up wind. Do not allow washings to reach sewage or effluent systems.	
Hazchem Code	2X	
Other Information	Location Certificate: Not applicable Hazardous Atmosphere Zone: Not applicable Number of Fire Extinguishers: Not applicable	
6. Accidental relea	ase measures	
Spills & Disposal	Wear protective clothing. Clear area of unprotected personnel. Contain spill and absorb with sand, soil or absorbent granules. If spill does enter waterways contact the local authority. Collect in an appropriate sealable container for disposal in an approved landfill. Final clean-up with degreasing agent or detergent is advised.	
Personal Protection	For appropriate personal protective equipment (PPE), refer Section 8.	
Environmental Precautions	Prevent contamination of soil and water. This product is a herbicide and spills can damage crops, pastures and desirable vegetation.	
7. Handling and st	torage	
Precautions for Safe Handling	Avoid skin and eye contact and inhalation of spray mist. APPROVED HANDLER: This product must be under the control of an approved handler when applied directly onto or into water. TRACKING: Is not required BEWARE: Spray drift hazard. Apply this product carefully. Spray drift may cause serious damage to other desirable plants. Solutions of LION 490 DST should be mixed, stored and applied only in stainless steel, aluminium, brass, copper, fibreglass, plastic or plastic lined containers. Do not mix or store this product in galvanized or unlined steel (except stainless steel) containers or spray tanks. LION 490 DST or solutions of LION 490 DST react with such containers to produce hydrogen gas which may form a highly combustible gas mixture which can flash or explode if ignited.	
Conditions for safe storage, including any incompatabilities	Keep out of reach of children. Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, fertilisers and seeds. Storage must be in accordance with NZS 8409 Management of Agrichemicals. Stores containing 1,000L of LION 490 DST require secondary containment and are subject to signage, and more than 1,000L require emergency response plans.	
Corrosiveness	Corrosive to eyes.	
Other Information	Aggregate Storage Volume Thresholds: When stored with substances of the same hazard classification the aggregate quantity must be considered. For full details refer to the current NZS8409 Management of Agrichemicals and the HSNO Regulations. Avoid contact with foliage or green stems of fruit or crops, desirable plants and trees, since severe injury or death may occur. Do not allow drift to occur outside the target area.	

8. Exposure controls/personal protection



Page: 3 of 5

Infosafe No™ 3NUR8

Issue Date : July 2019

ISSUED by NUFARM

Product Name LION® 490 DST

Occupational exposure limit values	No exposure limits (WES, TEL or EEL's) have been specifically assigned for this product.
Appropriate	Handle in well ventilated areas, generally natural ventilation is adequate.
engineering controls	
Personal Protective	When opening the container, preparing spray and using the prepared spray wear
Equipment	safety goggles, impervious gloves, waterproof hat, coat and trousers (worn outside rubber boots)
Hygiene Measures	Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work. Wash protective clothing daily after work.
9. Physical and ch	emical properties

9. Physical and chemical properties

Form	Liquid
Appearance	Clear green liquid.
Odour	Mild surfactant odour
Boiling Point	>100°C (water)
Solubility in Water	Soluble
Specific Gravity	1.30g/mL @ 20°C
pH	4.5 (1% aqueous)
Partition Coefficient:	Kow Log P is <-3.2 (pH2-5, 20 $^{\circ}\text{C})$ for glyphosate
n-octanol/water Flammability	Non combustible material.
Other Information	(SL) Soluble concentrate

10. Stability and reactivity

Incompatible Materials	Non corrosive to stainless steel, polyethylene and plastics. LION 490 DST reacts with galvanised steel or unlined steel (except stainless steel) containers and tanks, to produce hydrogen gas that may form a highly combustible gas mixture.
Possibility of hazardous reactions	Avoid contact of the concentrate with strong alkalis and alkaline materials such as lime. Such contact may release ammonia vapours with a strong characteristic odour, which is an irritant to eyes. Ammonia is moderately toxic, with a WES TWA TLV of 25ppm or 17mg/m3.
Hazardous Polymerization	Hazardous polymerisation will not occur.

11. Toxicological Information

Toxicology Information	No harmful effects are expected if the precautions on the label and this SDS are followed.
Acute Toxicity - Oral	LD50 (rat) = 4,613mg/kg for glyphosate ammonium salt LD50 (rat) = >5,000mg/kg for glyphosate potassium salt
Acute Toxicity - Dermal	LD50 (rabbit) >5,000mg/kg for both glyphosate ammonium salt and glyphosate potassium salts
Acute Toxicity - Inhalation	LC50(rat) (whole body) >1.9mg/L air for glyphosate ammonium salt LC50 (rat >5.27mg/L air for glyphosate potassium salt
Ingestion	The concentrate is of low toxicity if swallowed. Amounts swallowed incidental to normal handling procedures and use are not expected to cause injury. Possible symptoms of exposure include: nausea, vomiting and gastrointestinal discomfort and diarrhoea. Ingestion of a large quantity of the undiluted product may result in hypotension and pulmonary oedema.
Inhalation	When applying the product as a spray avoid breathing in spray mist. May cause irritation to mucous membranes and respiratory tract.
Skin	The concentrated product may cause slight irritation on contact. Prolonged contact is likely to result in irritation.



Page: 4 of 5

Infosafe No™ 3NUR8

Issue Date : July 2019

ISSUED by NUFARM

Product Name LION® 490 DST

Eye	The concentrate may cause irritation of the eyes. Prolonged contact with the concentrate may cause damage to the eye.
Skin Sensitisation	Not a contact sensitiser.
Carcinogenicity	Various regulatory agencies classify glyphosate as non-carcinogenic. The International Agency for Research on Cancer (IARC) classified glyphosate as 'probably carcinogenic to humans' (Group 2A). This finding was considered by various regulators post 2015.
Reproductive	No data to support a positive result.
Toxicity	
Chronic Effects	No information available, no chronic effects expected.
Mutagenicity	No data to support a positive result.
Respiratory	No data available to indicate product is a respiratory sensitiser.
Irritation	
Skin	Slight irritant.
corrosion/irritation Other Information	The Australian Acceptable Daily Intake (ADI) for glyphosate for a human is 0.3 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 30 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing, Office of Chemical Safety, 'ADI List', March 2013).

12. Ecological information

. /	
Persistence and degradability	Adsorption studies indicate that glyphosate has very low mobility. DT50 varies from 1-130 days depending on environmental conditions for glyphosate
Bioaccumulative	Glyphosate is not bio accumulative, BCF = <1 for bluegill sunfish.
Potential	
Other Precautions	Do not spray in high winds.
	Do not contaminate dams, waterways or sewers with this product.
Environmental	Glyphosate is a non-selective contact herbicide.
Protection	Spray drift can cause damage.
Acute Toxicity - Fish	LC50 (96h) for Bluegill sunfish is 45mg/L for glyphosate
•	LC50 (96h) for trout is 86mg/L for glyphosate
	LC50 (96h) for trout >1,227mg a.e./L for glyphosate potassium salt
Acute Toxicity -	LC50 (48hr) for daphnia is >1,227mg a.e./L for glyphosate potassium salt
Daphnia	
Acute Toxicity -	EbC50(72h) green algae (Selenastrum capricornutum) = >1,227mg a.e./L for
Algae	glyhosate potassium salt
Acute Toxicity -	Acute oral LD50 for bobwhite quail >2,241mg a.e/kg for glyphosate potassium
Other Organisms	salt
o the organisms	Bee LD50 (48h) (contact & oral) >100 μg a.e/bee for glyphosate potassium salt

13. Disposal considerations

Product Disposal	Dispose of product only by using according to the label, or at an approved
Container Disposal	landfill. Triple rinse empty container and add rinsate to spray tank. Recycle empty
Container Disposar	container. Otherwise crush and bury in a suitable landfill.

14. Transport information

1 ii 11 ansport mit			
Transport Information U.N. Number	It is good practice not to transport agricultural chemical products with food, food related materials and animal feedstuffs. 3082		
UN proper shipping name Transport hazard class(es) Hazchem Code Packaging Method Packing Group	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (glyphosate, 49%) 9 2X - III		
8			



Page: 5 of 5

Infosafe No™ 3NUR8

Issue Date : July 2019

ISSUED by NUFARM

Product Name LION® 490 DST

EPG Number	-
IERG Number	47
IMO Marine Pollutant IMDG EMS	Yes. Environmentally Hazardous Substance mark required. F-A, S-F
Other Information	Do not carry this product on a passenger service vehicle. Segregation: Check the latest Land Transport Rule Dangerous Goods Rule 45001 for additional information. Sea transport may require additional segregation. Refer NZS5433 sea segregation for details.
15. Regulatory in	formation
National and or	Registered pursuant to the ACVM Act 1997, No. P8785

National and or egiste See www.foodsafety.govt.nz for registration conditions International Approved pursuant to the HSNO Act 1996, Approval Code HSR100083 Regulatory See www.epa.govt.nz for approval controls. Information HARMFUL * CORROSIVE * ECOTOXIC - keep out of reach of children Packaging & Labelling NFPA/HMIS: 3-1-0 Hazard Rating Systems Hazard Category HARMFUL * CORROSIVE * ECOTOXIC - Keep out of reach of children

16. Other Information

Date of preparation	June 2019
or last revision of	
SDS	
Contact Person/Point	IN AN EMERGENCY, DIAL 111 - FIRE OR POLICE
	24Hr Tollfree Emergency No: 0800 651 911
	24Hr Emergency No: National Poisons Centre Phone: 0800 764 766
Revisions	Minor changes made to sub section- carcinogenicity under section 11.
Highlighted	
0 0	End Of MSDS
	© Copyright ACOHS Pty Ltd

Copyright source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.