Syngenta Crop Protection Limited Tower II, Level 7, 110 Symonds Street Private Bag 92618, Symonds Street Auckland New Zealand



EMERGENCY INFORMATION AND STORAGE GUIDE / DANGEROUS GOODS DECLARATION

REGLONE Herbicide

Substance: Dark red brown viscous liquid (soluble concentrate) containing 200g/L diquat dibromide (CAS No. 85-00-7)

Proper shipping name: CORROSIVE LIQUID, N.O.S. (Diguat)

UN No.	DG Class	Subsidiary Risk Class	Packing Group	Flash Point (°C)	HAZCHEM	Marine Pollutant	_	ximum ort Quantity	
1760	8	NA	Ш	NA	2X	Yes	2	250L	
Hazard Classifications [HSR000446]				Tracking Required		Certified Hand	IER Guide		
6.1C, 6.3A, 6.9A, 8.1A, 9.1A, 9.3C				No		No		37	

EMERGENCY P	ROCEDURES 24 HOUR ADVICE IN AN EMERGENCY ONLY: 0800 734 607
IF THIS HAPPENS	DO THIS
Tanker/Vehicle Accident	Switch off engine and electrical equipment. Keep people away, warn other traffic. Check for spills, leaks. Call the emergency services: Dial 111
Spill or leak	Do NOT touch or walk through spilled material. Wear PVC overalls, chemical resistant gloves, facemask or goggles. Stop leak when safe to do so. Prevent entry into waterways, drains, or confined areas. Adsorb spilled product and place in sealable container for disposal. Wash down affected area with water plus detergent. Absorb and collect washings and place in the same sealable container for disposal. Seek advice from the local authority regarding disposal.
Fire	Call the Fire Service: Dial 111. This product is non-combustible. During a fire, combustion products are toxic and or irritant. When fighting a major fire wear an air-supplied respirator. Wear protective equipment. Extinguish warehouse and factory fires using dry chemical extinguisher, foam, carbon dioxide or water spray. DO NOT use direct jet of water. Cool sealed drums with water to prevent rupture due to thermal expansion. Contain run-off. Keep non-involved persons away.
FIRST AID	
If Swallowed	DO NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. RAPID TREATMENT IS ESSENTIAL.
	Refer to the booklet 'Paraquat Poisoning. A Practical Guide to Diagnosis, First Aid and Hospital Treatment. (www.syngenta.com/pqmedguide/)
If in Eyes	Hold eyelids apart and flush the eye continuously with running water for at least 15 minutes. Get medical attention.
If on Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Do not scrub the skin.
If Inhaled	Remove patient to fresh air. If not breathing, give artificial respiration, preferably mouth-to-nose. Get medical attention if symptoms develop.

STORAGE AND SEGREGATION

Storage: Keep out of reach of children. Keep in original containers and tightly closed. Store locked up. Keep away from food, drink and animal feeding stuffs. Store in a cool, dry, well ventilated place and protect from sunlight.

Aggregate Storage Volume Thresholds: When stored with substances of the same hazard the aggregate quantity must be considered. For full details refer to the current NZS8409 Management of Agrichemicals and the HSNO Regulations.

Location Certificate	Hazardous Atmosphere Zone	Number of Fire Extinguishers	Hazard Class & Emergency Action Signage	Emerge Informa	•	Emergency Plan	Seconda Containm	•
NA	NA	NA	>=100L >= 0.1L			>100L	>=100L	
DO NOT Store or Load With: Class 1, 5.1, 5.2, 7 substances, food items			Segregate From: Separate by at least 3m or pack all but one in separate freight container Class 4.3. All but one in an approved segregation device 5.1,5.2					
Check the Land Transport Rule Dangerous Goods 1999, Rule 45001 for additional information. Refer NZS5433, sea segregation, for details.								
Number and Kind of Pa	Gross Weight:	Kg	Volu	me:	ne: m³			
Consignor:	Consignee:							
Dangerous Goods Declaration:			Name:					
I hereby declare that the contents above by the proper shipping nan and are in all respects in proper c	Title:							
international and national rules, re	Signature:				Date:			